


## COMPOSITE-POOLS & ELEMENTS



### PRICELIST 2020

Sales Prices in Euro excl. VAT.

Valid from 01.01. – 31.12.2020

# REKU

Composite-Pools & Elements






***Eleganz 80 "U", short version***

Colour granite with step treads in silver grey and universal grabrail "above water level" and grabrail "below water level" for Eleganz 80




### Available colours:



#### WHITE

Alkor white 90057  
DLW NG white  
Elbtal white 104



#### SEA BLUE

Alkor light blue 50001  
DLW NG azure  
Elbtal light blue 602



#### AZURE BLUE

Alkor adriatic blue 52341  
DLW NG blue  
Elbtal adriatic blue 604



#### SAND

Alkor sand 91669  
DLW NG sand  
Elbtal sand 151



#### SILVER GREY

Alkor grey 70981  
DLW NG grey  
Elbtal grey 765



#### GRANITE

Alkor dark grey  
DLW NG granite  
Elbtal dark grey 782

Samples available on request.

We recommend to use step treads in the colour of the liner and the step itself in contrasted colour to the liner (for example liner and step treads in azure blue and te step in white or liner and step treads in silver grey and the step in granite). In that way slight colour differences that occur

between the different liner manufacturers can be equalised.  
**IMPORTANT! Only white and sand are really resistant to chlorine liquor. Please use other colors with other disinfectants to avoid fading!**


## 1 WELL DESIGNED



High gloss surface from Duracolor 3000 smooth and soft to the touch.



Step treads as an option in a different colour.



Colour options to match the PVC liner ranges.



Cover liner clamp plate to match the colour of the PVC-liner.

## 2 PERFECT STABILITY



Proper flanges guarantee easy installation and alignment.



PVC liner can be fixed with a clamp plate or glued/welded on a PVC strip.



Extremely strong due to several layers of carbon composite plus additional strengtheners.



**Alternatively:** PVC-strip for welding of 1,5 mm liner.


## 3 FUN & FUNCTION



Integrated seat.



Matching grabrails.



All treads with certified anti-slip profiled surface..



Jet- and massage systems available.

## 4 EASY INSTALLATION




Adjustable supporting posts for easy alignment.



Step-ends matching Reku coping stones..



Step-end comes on a pallet incl. mounting instruction and fixing kit..



Step-ends can be cut to requested height on site.

#### PRICING:

Prices in this list only apply to orders received by us up to the 31st of December. The listed price valid on the day of delivery is invoiced if the goods are collected later. The price stands in Euro ecl. VAT.

#### TRANSPORTATION COSTS:

Freight charges: upon request. Special costs, customs and bordercosts, ferries etc., are paid by the customer.

#### INSTALLATION COSTS:

Prices for on-site installation are not included in this price list, as these services are carried out by a specialised company and invoiced separately.

#### WARRANTY:

Reku CP-Elements and pools and their equipment and accessories are designed to be used for swimming and bathing. The pools must be filled with water from the mains. The water needs to be of drinking water quality.

Mineral water, water with a high salt content and spring water are not suitable. The maximum metal content should not be higher than the following values

• Iron	0,1 mg	per Liter
• Manganese	0,05 mg	per Liter
• Ammonium	2,0 mg	per Liter
• Polyphosphat	0,005 mg	per Liter
• Copper	0,01 mg	per Liter
• Chloride	300 mg	per Liter

(with use of electrical heater 150 mg/l)

Higher values can cause corrosion of the equipment and parts or cause deposits on the pool walls. The maximum water temperature for pools is 32° C. The installation should only be carried out by a professional swimming pool builder.

#### SHIPPING:

Single load



Double load







## Step-end ideal for New Liner pools under construction „N“


With clamp plate to fix the pool liner. Installation between pool walls with concrete backfilling.

**All 8 models are with clamp plate or with PVC welding strip available!**



## Step-end ideal for New Liner pools under construction or for renovation „N+S“


**With PVC strip to weld a 1,5 mm thick liner on.** Installation in pool corners – backfilling unnecessary.




## Step-end ideal for all kinds of pools installed in the pool „U“

Suitable for liner, tiles, metal or GRP.

ELEGANZ 60 + 80 „U“ long




ELEGANZ 60 + 80 „U“ short



## ON THE FOLLOWING PAGES WE HAVE MARKED:

- 8 step-ends designed for new build liner pools marked as "N" (New Liner pools).
- 3 step-ends for use in new build as well as renovation of liner pools, marked as "N + S", only available with PVC weld strips.
- 2 step-ends as universal models for all pool types: liner, tile, metal, or fibreglass referred to as "U" (underwater).
- Installation material and instructions are always included in the deliveries.
- Technical shafts, manhole covers and panel pools.

### Step-ends designed for **New liner pools under construction ("N")**




KANTO 150 „N“

KANTO 250 „N“

KANTO 300 „N“

RAVENNA ECK „N“



RIO 150 „N“


ADRIA 300 „N“

MARIS 250 „N“

MARIS 325 „N“

Retro-fit Step-ends installed in the pool - **UNIVERSAL**

Step-ends "N+S" with PVC strip to weld on a liner with 1,5 mm thickness, installation in pool corners, backfilling unnecessary




ELEGANZ 60 „U“

ELEGANZ 80 „U“



right + left

COMFORT 150 „N+S“



OCTA ECK 140 „N+S“








## GRABRAILS ALL IN STAINLESS STEEL

Grabrails are the perfect equipment for a safe entry into the pool especially in combination with anti-slip profiled surface of the Reku steps (which are standard). Our grabrails are fixed on the pool deck or on the entry step.


**The following grabrails for the Reku steps are available:**

- ① Grabrail Marina small for all types of step-ends
- ② Universal grabrail "above water level" for all types of step-ends
- ③ Grabrail "below water level" for Eleganz 60 K + L or 80 K + L
- ④ Grabrail "small and big bow", one piece for Eleganz 60 K + L or 80 K + L




**Attention: the width and depth of the step treads of the Eleganz 60 and Eleganz 80 are different; therefore the universal grabrails "below water level" and "small and big bow" have different dimensions.**

The grabrails "above water level" and "below water level" are specially made for pools with floating covers. The universal grabrail "above water level" can as well be mounted on the first step of the Eleganz 60 or 80 L.



**Examples for use:**





## Step-ends for pools suitable for **new construction or renovation („N+S“)**

### **Stairs especially for 1.5 mm PVC liner from the roll, with PVC connection strip for welding or gluing!**

The models OCTA ECK 140, COMFORT 150 und COMFORT 220 are only suitable for 1.5 mm PVC liner **to be welded on**.

The steps are placed in corners and fixed with bolts. All transition joints filled with silicone. Please see the left picture below. An refit installation during renovation

is possible. The upper edge will be cutted to / under the coping stone. The corner will be sealed with silicone, PVC liner connection you can see picture left. A concrete backfill is not necessary. It is also possible to install all three models in an existing pool. A 20 cm wide strip of liner is welded on the PVC strip as well as on the existing liner.



The edge plate runs straight through

### OCTA ECK 140 „S“

Item No.: T Oct140x140CL..

PL  
(PVC-Strip)

Colours: white (03)		€ 2.596,-
sea blue (04) and sand (13)		€ 2.725,-
azure blue (07), silvergrey (22), granit (37)		€ 2.935,-
Step in different colour		€ 185,-
Grabrail Marina, polished, per piece	Item No.: A 2303100	€ 426,-
Packed in a shrink film, one way pallet net	P Octa 140 CL	€ 31,-
Freight costs, per piece		on request
Delivery to the private customer is not possible!		



#### Dimensions:



#### Length x Breadth x Depth:

1400 mm x 1400 mm x 1510 mm

Shipping weight: 130 kg

#### Recommendation for coping stones:

45° mitred on site




### COMFORT 150 „left + right“

Item No.: T Com150“N“ CL

PL  
(PVC-Strip)

Colour: white (03)		€ 1.828,-
sea blue (04) and sand (13)		€ 1.916,-
azure blue (07), silvergrey (22), granit (37)		€ 2.061,-
Steps in a different colour		€ 158,-
Grabrail Marina, polished, per piece	Item No.: A 2303100	€ 426,-
Packed in a shrink film, one way pallet net	P Com150 CL L/R	€ 28,-
Freight costs, per piece		on request
Delivery to the private customer is not possible!		



#### Dimensions:



#### Length x Breadth x Depth:

1500 mm x 600 mm x 1510 mm

#### Shipping weight 98 kg

Please order right or left version.  
Installation in a pool corner, fixing  
from inside the Pool.

The coping stones passed  
throughstraight and should overlap  
by approx. 3 cm into the pool.




## Steps-ends "U"

The following models ELEGANZ U 60 & 80 „U“ are designed for all pools, independent from pool construction. They are placed in the water and can be used in existing


pools – for PVC-liner, concrete with tiles, metal or plastic. It can be used in existing pools as well.




5 steps, short version, fixed with 2 bolts in the wall, with rubber plates on the floor.



5 steps, long version, fixed with 2 bolts in the coping stone. Rubber base plate on the floor without fixings.



The Eleganz L can be delivered with a grabrail on the right and / or on the left hand side.



Fixation with wall anchors V4A for for Eleganz 60 + 80 K (short version)



Adjustable foot with deflector for vacuum cleaner

Adjustable foot to adapt the step to the depth of the pool.  
Eleganz L: 1540-1700 mm  
Eleganz K 1390-1430 mm  
Special dimensions are available upon request for both types.

### ELEGANZ 60 „U“

Item No.: Ele60 "U" CL ..

K ("short" version)

L ("long" version)

Colours: white (03)		€ 1.274,-	€ 1.483,-
sea blue (04) and sand (13)		€ 1.341,-	€ 1.552,-
azure blue (07), silver grey (22), granite (37)		€ 1.423,-	€ 1.653,-
Step in different colour		€ 158,-	€ 158,-
Wall anchor for Eleganz 60 + 80 K (short version)	Art. Nr.: Z Kon022 Eis	€ 96,-	–
Grabrail Marina, polished, per pc	Art. Nr.: A 2303100	€ 426,-	€ 426,-
Grabrail Eleganz of round tube, fixed on the side, polished, per pc	Art. Nr.: A 2303111	€ 508,-	€ 508,-
Universal grabrail "above water level" polished, per pc	Art. Nr.: A 2300010	€ 533,-	€ 533,-
Grabrail "below water level" Eleganz 60 fixed on the side, polished, per pc	Art. Nr.: A 2303105	€ 284,-	€ 284,-
Packed in a carton on one way pallet	Art. Nr.: Pak Ele060CL	€ 27,-	€ 27,-
Freight costs, per piece		on request	on request
Freight costs, 6 pieces on pallet		on request	on request
Delivery to privat customer is possible!			

Special version Eleganz 60 L + K for pools with depth 1,25 (1,20 - 1,30) Meter at the same price available!

#### Dimensions


Breadth x Depth: 600 mm x 1300 mm

Shipping weight: 65 kg


#### Dimensions

Breadth x Depth: 600 mm x 1.580 mm


Shipping weight: 80 kg



Steps-end Eleganz 60 version "short"



Steps-end Eleganz 60 version "long"



Version "long" with grabrail Eleganz

All prices in Euro, excl. VAT..



**Allps have built in weghts that prevent the steps from floating.**  
**Fixing and instructions are included.**



6 steps, short version, fixed with 2 bolts in the wall, without fixings on the floor.



6 steps, long version, fixed with 2 bolts in the coping stone. without fixings on the floor.



The Eleganz L can be delivered with a grabrail on the right and / or on the left hand side.

### ELEGANZ 80 „U“

Item No.: Ele80 „U“ CL ..

K ("short" version)

L ("long" version)


Colours: white (03)		€ 1.912,-	€ 2.224,-
sea blue (04) and sand (13)		€ 2.012,-	€ 2.329,-
azure blue (07), silver grey (22), granite (37)		€ 2.133,-	€ 2.479,-
Step in defferent colour		€ 158,-	€ 158,-
Wall anchor for Eleganz 60 + 80 K (short version)		€ 96,-	–
Grabrail Marina, polished, per pc	Art. Nr.: A 2303100	€ 426,-	€ 426,-
Grabrail Eleganz of round tube, fixed on the side, polished, per pc	Art. Nr.: A 2303115	€ 530,-	€ 530,-
Universal grabrail "above water level" polished, per pc	Art. Nr.: A 2300010	€ 533,-	€ 533,-
Grabrail "below water level" Eleganz 80 fixed on the side, polished, per pc	Art. Nr.: A 2303110	€ 308,-	€ 308,-
Packed in a carton on one way pallet	Art. Nr.: Pak Ele060CL	€ 32,-	€ 32,-
Freight costs, per piece		on request	on request
Freight costs, 3 pieces on pallet		on request	on request
Delivery to privat customer is possible!			

#### Dimensions:

##### Breadth x Depth:

800 mm x 1300 mm

Shipping weight: 95 kg




Steps-end Eleganz 80 version "short"

#### Dimensions:


##### Breadth x Depth:

800 mm x 1.580 mm

Shipping weight: 115kg



Steps-end Eleganz 80 version "long"



Version "long" with grabrail Eleganz

All prices in Euro, excl. VAT.

**Step-ends on pages 14-17 have to be installed between the pool walls and then to be levelled from behind and backfilled with concrete.**

## KANTO 150 „N“ 5 Steps

Item.No. T Kan150“N“ CL.. KL (clamp plate)  
T Kan150“N“ CL.. PL (PVC strip)

Colour: white (03)	€ 2.142,-
sea blue (04) and sand (13)	€ 2.239,-
azure blue (07), silver grey (22), granite (37)	€ 2.370,-
Steps in a different colour	€ 141,-
Grabrail Marina, polished, per piece Item No.: A 2303100	€ 426,-
Packed in a shrink film, one way pallet net P Kan150 CL	€ 23,-
Freight costs, per piece	on request
Delivery to the private customer is not possible!	



### Dimensions:

#### Length x Breadth x Depth:

1.165 x 1.500 x 1.500 mm

#### Shipping weight: 86 kg

5 steps plus sitting lounge.  
Suitable for counter current installation.  
Suitable for air channel system.



## KANTO 250 „N“ 5 Steps

Item.No. T Kan250“N“ CL.. KL (clamp plate)  
T Kan250“N“ CL.. PL (PVC strip)

Colour: white (03)	€ 2.827,-
sea blue (04) and sand (13)	€ 2.933,-
azure blue (07), silver grey (22), granite (37)	€ 3.082,-
Steps in a different colour	€ 141,-
Grabrail Marina, polished, per piece Item No.: A 2303100	€ 426,-
Packed in a shrink film, one way pallet net P Kan250 CL	€ 31,-
Freight costs, per piece	on request
Delivery to the private customer is not possible!	



### Dimensions:

#### Length x Breadth x Depth:

1.165 x 2.500 x 1.500 mm

5 steps plus sitting lounge.  
Suitable for counter current installation.  
Suitable for air channel system.

Die The steps can be supplied with  
liner lock fixing plates or  
PVC welding strip for 1.5 mm liners.  
Please specify when ordering.  
Mounting material is included!



**All prices in Euro, excl. VAT.**





### KANTO 300 „N“ 5 Steps

Item.No.. T Kan300“N“ CL.. KL (clamp plate)  
T Kan300“N“ CL.. PL (PVC strip)

Colour: white (03)	€ 3.771,-
sea blue (04) and sand (13)	€ 3.959,-
azure blue (07), silver grey (22), granite (37)	€ 4.260,-
Steps in a different colour	€ 212,-
Grabrail Marina, polished, per piece	Item No.: A 2303100 € 426,-
Packed in a shrink film, one way pallet net	P Kan300 CL € 40,-
Freight costs, per piece	on request
Delivery to the private customer is not possible!	





#### Dimensions:

#### Length x Breadth x Depth:

1.165 x 3.000 x 1.500 mm

#### Shipping weight: 163 kg

5 steps plus sitting lounge.  
Suitable for counter current  
installation. Suitable for air channel  
system.



### RAVENNA ECK 200 x 200

Item.No. T Rav200x200“N“CL.. KL (clamp plate)  
T Rav200x200“N“CL.. PL (PVC strip)

Colour: white (03)	€ 3.081,-
sea blue (04) and sand (13)	€ 3.293,-
azure blue (07), silver grey (22), granite (37)	€ 3.477,-
Steps in a different colour	€ 133,-
Grabrail Marina, polished, per piece	Art. Nr.: A 2300010 € 533,-
Packed in a shrink film, one way pallet net	P Rav2x2 CL € 64,-
Freight costs, per piece	on request
Delivery to the private customer is not possible!	



#### Dimensions:


#### Length x Breadth x Depth:

2.000 x 2.000 x 1.510 mm


#### Shipping weight: 140 kg

#### Recommendation for coping stones:

Straight stones, flat on the stairs



The steps can be supplied  
with liner lock fixing plates or  
PVC welding strip for 1.5 mm  
liners.  
Please specify when ordering.  
Mounting material is included



## RIO 150 „N“ 5 Steps

Item. No.: **T Rio150 „N“ CL ..** **KL** (clamp plate)  
**T Rio150 „N“ CL ..** **PL** (PVC strips)

Colour: white (03)		€ 1.899,-
sea blue (04) and sand (13)		€ 2.030,-
azure blue (07), silver grey (22), granite (37)		€ 2.140,-
Steps in a different colour		€ 155,-
Grabrail for RIO 150 left/right, polished, per piece	Art. Nr.: A 2322030.	€ 555,-
Packed in a shrink film, one way pallet net	P Rio150 CL	€ 18,-
Freight costs, per piece		on request
Delivery to the private customer is not possible!		

### Dimensions:



#### Length x Breadth x Depth:

1.075 x 1.500 x 1.510 mm

Shipping weight: 86 kg

### Recommendation for coping stones:

2 pieces, Radius 500 mm with straight cut stone



## ADRIA 300 „N“

Item.No.: **T Adr300CL ..** **KL** (clamp plate)  
**T Adr300CL ..** **PL** (PVC strips)

Colour: white (03)		€ 3.541,-
sea blue (04) and sand (13)		€ 3.808,-
azure blue (07), silver grey (22), granite (37)		€ 3.978,-
Steps in a different colour		€ 211,-
Grabrail MALAGA 325 left, polished per pc	Art. Nr.: A 2302010	€ 566,-
Packed in a shrink film, one way pallet net	P Adr300 CL	€ 64,-
Freight costs, per piece		on request
Delivery to the private customer is not possible!		

### Dimensions:



#### Length x Breadth x Depth:

1.250 x 3.000 x 1.510 mm

Shipping weight: 185 kg

### Recommendation for coping stones:

Radius 1.250 mm



### Important!

Suitable for counter current installation.

Suitable for air channel system.

The place under sitting lounge suitable for inlet jet as foot massage!

Die The steps can be supplied with liner lock fixing plates or PVC welding strip for 1.5 mm liners. Please specify when ordering. Mounting material is included!



### MARIS 250 „N“

Item.No.: **T Mar250 CL..** **KL** (clamp plate)  
**T Mar250 CL..** **PL** (PVC strip)

Colour: white (03)		€ 2.627,-
sea blue (04) and sand (13)		€ 2.725,-
azure blue (07), silver grey (22), granite (37)		€ 2.864,-
Steps in a different colour		€ 185,-
Grabrail MALAGA 225 left, polished per piece	Art. Nr.: AZ Hand003..	€ 426,-
Packed in a shrink film, one way pallet net	P Mal225 CL	€ 31,-
Freight costs, per piece		on request
Delivery to the private customer is not possible!		

#### Dimensions:



#### Length x Breadth x Depth:

1.075 x 2.250 x 1.500 mm

Shipping weight: 111 kg

#### Recommendation for coping stones:

Radius 1.000 mm



### MARIS 325 „N“

Item.No.: **T Mar325 CL..** **KL** (clamp plate)  
**T Mar325 CL..** **PL** (PVC strip)

Colour: white (03)		€ 3.728,-
sea blue (04) and sand (13)		€ 4.010,-
azure blue (07), silver grey (22), granite (37)		€ 4.187,-
Steps in a different colour		€ 211,-
Grabrail MALAGA 325 left, polished per piece	Art. Nr.: A 2302010	€ 426,-
Packed in a shrink film, one way pallet net	P Mal325 CL	€ 64,-
Freight costs, per piece		on request
Delivery to the private customer is not possible!		

#### Dimensions:




#### Length x Breadth x Depth:

1.333 x 3.250 x 1.500 mm

Shipping weight: 160 kg

#### Recommendation for coping stones:

Radius 1.500 mm



The steps can be supplied with liner lock fixing plates or PVC welding strip for 1.5 mm liners. Please specify when ordering. Mounting material is included

## Technical shafts

for counter swim units, filters, etc.

### MODEL FOR COUNTER SWIM UNIT

Suitable for straight pool walls either concrete, styrene, metal etc. with drain, 4 adjustable metal supports for bolting on the concrete slab. Built-in ventilation and dehumidifier.

**Dimensions:** 1,4 x 1,1 x 0,8 m

**Manhole:** 765 x 745 mm

Price per piece: **€ 1.500,-**


**Surcharge for other colours, all colours as for step ends available**

(Lid in colour papyrus, if you wish different colour please inform us in your order)

Price per piece: **€ 92,-**

**Surcharge for version "shower tray"**

Price per piece: **€ 97,-**



#### LIDS 1, 2 OR 3

1. anti-slip coated
2. no anti-slip coating prepared to be covered with wood or tiles
3. to be used as shower tray, comes with drain, 2 hinges and lifting strutt

### TECHNICAL SHAFT FOR FILTERS

Suitable for straight pool walls either concrete, styrene, metal etc. open on the bottom, built-in ventilation and dehumidifier, with height-adjustable lid

**Dimensions:** 1,7 x 1,7 x 1,5 m

**Manhole:** 1.245 x 765 mm

Price per piece: **€ 3.000,-**

**Surcharge for other colours, all colours as for step ends available**

(Lid in colour papyrus, if you wish different colour please inform us in your order)

Price per piece: **€ 103,-**

**Surcharge for version "shower tray"**

Price per piece: **€ 111,-**



#### LIDS 1, 2 OR 3

1. anti-slip coated
2. no anti-slip coating prepared to be covered with wood or tiles
3. to be used as shower tray, comes with drain, 2 hinges and lifting strutt



## Technical shafts

### Installation wall with integrated technique shaft for counter-current systems

Built-in wall with integrated technology shaft in which counter-current system or underwater floodlights can be installed.

Technology manholes are equipped with air vents, as well as with a drip water outlet. Suitable for installation in the straight pool walls, concrete, styrofoam, metal, etc., 2 adjusting supports for screwing onto the concrete slab.

The lower part of the mounting wall can be shortened in the factory and so this part can be used as a closed technology shaft for the earth installation, away from the pool.

If desired, please specify when ordering!

**Dimensions:** - Wall 1000 mm wide, 1500 mm height,  
to be cutted up to 1200 mm  
- Depth of technique shaft is 700 mm

**Dimension of manhole cover:** 765 x 745 mm

Price per piece: **€ 1.048,-**

#### Surcharge for Cover available in all step - end colours

(Lid in colour papyrus, if you wish different colour please inform us in your order)

Price per piece: **€ 93,-**

#### Surcharge for version "shower tray"

Price per piece: **€ 97,-**

#### Film packaging with wooden pallet

Price per piece: **€ 52,-**




## REKU - GRP - SKIMMER

REKU - GRP - Skimmer for swimming pools with PVC - lining 0,6 - 0,8 - 1,5 mm, with terminal strip including mounting accessories and picture - mounting instructions.


1. Water level from minus 15-8 cm variable through sliding stand-pipe as overflow
2. Edge plates cover the top and front continuously
3. Skimmer cover made of GRP can be shortened to adapt the plating
4. Skimmer weir accessible from above for service and replacement
5. Skimmer basket (+1 reserve) made of PVC with carrying handle
6. Colour white or silver grey; colour terminal strips like stairs
7. Suction opening large 42 cm
8. Wooden installation templates are supplied
9. Level controller mechanical Geberit installed in slosh-free cell. Optional on-site level controller can be installed.

Price per piece: **€ 840,-**

All prices in Euro, excl. VAT




FROM GOOD HOUSE...



PREFABRICATES SWIMMING POOLS



PANEL POOLS



STEPS



Valid from 01.01.-31.12.2020 | Date: 01.01.20

[www.reku.sk](http://www.reku.sk)

# REKU



Composite-Pools & Elements

REKU - Slovakia spol. r.o. • Priemyselná 10/A • SK-917 01 Trnava, Slovakia • Tel.: +421 33 551 20 33, +421 33 591 39 11  
E-Mail: [info@reku.sk](mailto:info@reku.sk) • [vertrieb@reku.sk](mailto:vertrieb@reku.sk) • [www.reku.sk](http://www.reku.sk)

REKU COMPOSITE-POOLS & ELEMENTS IS A SUBSIDIARY OF THE **RivieraPool®** -GROUP